

Ref #	Hits	Search Query	DBs	Default Operator	Phrase	Time Stamp
S1	102	monitor\$3 near5 sensor\$1 near8 back\$1 up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:10:03
S2	4	S1 same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:10
S3	10569	(sensor\$1 near5 (temperature or thermal)) same fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:19
S4	2142	(sensor\$1 near5 (temperature or thermal)) same fan same (regulator or supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:19
S5	20	S4 same (back\$1 up or (back adj1 up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:19
S6	14848	((sensor\$1 or detect\$3) near5 (temperature or thermal)) same fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:29
S7	2879	S6 same fan same (regulator or supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:19
S8	25	S7 same (back\$1 up or (back adj1 up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:31
S9	26	S7 and ((back\$1 up or (back adj1 up)) near5 (controller or processor cpu microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:27
S10	193	S7 and ((two or multiple) near5 (controller or processor cpu microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:39
S11	15	S7 same ((two or multiple) near5 (controller or processor cpu microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:28
S12	15902	((sensor\$1 or detect\$3 or monitor\$3) near5 (temperature or thermal)) same fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:29
S13	4867	S12 same (controller or processor cpu microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:39
S14	46	S13 same (back\$1 up or (back adj1 up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:38
S15	7	("6470289") URPN	USPAT	OR	OFF	2005/01/07 10:34

S16	196	S13 same (primary or secondary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:38
S17	118	S12 same ((controller or processor cpu microprocessor) with (primary or secondary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:39
S18	84	S12 same ((controller or processor cpu microprocessor) near8 (primary or secondary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 10:39
S19	14	(5526289" "5528229" "5566377" "5731954" "5805403" "5926386" "5930110" "6134667" "6135718" "6172611" "6204621" "6205547" "6243656" "6321175") PN	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:46
S20	263	(thermal or temperature) near3 management same (((back\$1 up or (back adj1 up) primary secondary))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:52
S21	11	(thermal or temperature) near3 management same (((back\$1 up or (back adj1 up) primary secondary)) near5 (cpu\$1 processor\$1 microprocessor\$1 controller\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:53
S22	16339	management same ((back\$1 up or (back adj1 up) primary secondary))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:52
S23	1127	management same (((back\$1 up or (back adj1 up) primary secondary)) near5 (cpu\$1 processor\$1 microprocessor\$1 controller\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:58
S24	38	S23 same (thermal or temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:59
S25	87	management same ((default) near5 (cpu\$1 processor\$1 microprocessor\$1 controller\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:58
S26	4	S25 same (thermal or temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:59
S27	0	multiple near8 independent near5 (test\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:40
S28	342	multiple near8 independent near5 (test\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:40
S29	84	S28 and g06f3.ipc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:59
S30	1	redundant near5 (monitor\$3 or test\$3) near10 different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:44
S31	7	redundant near5 (us\$3) near10 different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:53
S32	6	redundant near5 (us\$3) near10 independent near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:53
S33	60	redundant near5 independent near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:54
S34	24	redundant near5 different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 11:59

S35	194	redundant same different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:01
S36	117	S35 and g06f3.ipc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:00
S37	2767	((back adj1 up) or back\$1 up) same different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:01
S38	734	((back adj1 up) or back\$1 up) near10 different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:02
S39	57	S38 same (test\$3 or monitor\$3 or sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:02
S40	92	((back\$3 adj1 up) or back\$1 up) near10 different near5 (hardware or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/10 08:15
S41	24	S40 same (monitor\$3 or sens\$3 or test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:04
S42	20	("5751932") URPN:	USPAT	OR	OFF	2005/01/07 12:08
S43	13	("4228496"   "4603406"   "4757442"   "4817091"   "4907228"   "4912698"   "4965717"   "5093826"   "5146589"   "5193175"   "5251227"   "5295258"   "5600784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 12:13
S44	178	((back\$3 adj1 up) or back\$1 up) near10 different near5 (hardware or software processor cpu microprocessor code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:22
S45	35	(fault near2 (resilient or tolerant)) near10 different near5 (hardware or software processor cpu microprocessor code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:32
S46	107	(fault near2 (resilient or tolerant)) same different near5 (hardware or software processor cpu microprocessor code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:33
S47	76	S46 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:32
S48	165	(fault near2 (resilient or tolerant)) same different near5 (hardware or software processor\$1 cpu\$1 microprocessor\$1 code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:39
S49	42	(fault near2 (resilient or tolerant)) near10 different near5 (hardware or software processor\$1 cpu\$1 microprocessor\$1 code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:36
S50	7	S49 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:34

S51	47	(fault near2 (resilient or tolerant)) near10 different near5 (hardware or software processor\$1 cpu\$1 microprocessor\$1 code\$1 version\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:37
S52	5:	S51 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:37
S53	127	S48 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:39
S54	173:	(fault near2 (resilient or tolerant)) same different near5 (hardware or software processor\$1 cpu\$1 microprocessor\$1 code\$1 version\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:39
S55	130	S54 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 12:41
S56	4:	("5,129,080" "5,748,882").pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 13:03
S57	19	(US-6308289-\$ or US-5726874-\$ or US-6813150-\$ or US-6647321-\$ or US-6470289-\$ or US-6243656-\$ or US-6601168-\$ or US-6151689-\$ or US-5751955-\$ or US-6473869-\$ or US-5600784-\$ or US-6370654-\$ or US-6058490-\$ or US-5734695-\$ or US-6499048-\$ or US-6704884-\$ or US-6629260-\$).did. or (JP-05081056-\$).did. or (US-6298449-\$).did.	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 13:39
S58	11:	S57 and architecture	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:12
S59	115	detect\$3 near5 ((cooling adj1 fan) near5 speed)	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:17
S60	9:	S59 same computer	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:18
S61	3	("3885200" "4479115" "4977375").PN	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 14:16
S62	238:	(detect\$3 determin\$3 sens\$3) near5 ((cooling adj1 fan) near5 speed)	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:18
S63	27	S62 same computer	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:18
S64	27:	S63 not61	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:18
S65	27	S63 not S61	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:18
S66	18:	S63 not S60	USPAT; JPO; DERWENT	OR	OFF	2005/01/07 14:18
S67	107	detect\$3 near10 (power near2 controllers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 15:10
S68	6:	S67 same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 15:13
S69	2	"6651138".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/07 15:13